

## VET-19Li



|                       |   |
|-----------------------|---|
| Tube                  | 1/4", 3/8", 1/2", 5/8", 3/4"<br>optional: 6/8/9/10/12/15/16/18/19mm       |
| Flaring shape         | JIS B 8607  |
| Operating temperature | 5°C - 40°C  |
| Charging time         | ~ 35 min  |
| Power supply          | AC 100 - 240 V (50 - 60 Hz)   |
| Dimensions            | 256 x 101 x 100 mm  |
| Flaring times         | 15 - 20 sec   |
| Single charge         | 90 flaring (tube 3/8")  |
| Speed                 | 120 rpm   |
| Power                 | li-battery 7,4 V; 2 Ah  |
| Application           | soft copper tube  |
| Set                   | flaring tool, battery, charger, case, clamp: 1/4", 3/8", 1/2", 5/8", 3/4" |
| Weight                | 1,38 kg   |
| Packaging             | plastic case  |

Pictures of some products may vary. Every effort has been made to ensure that the information contained in this catalog is correct. Due to constant technological development, we reserve the right to make changes without notice.

## VET-19Li

The VALUE Cordless Flaring Tool represents an entirely new standard in this category of tools. It offers quality and convenience previously unattainable in HVACR installation and maintenance.

### Key Features:

- ergonomic handle
- single-button operation
- effortless and fast flaring
- tube position limiter for a perfectly shaped flare
- built-in LED light



## VET-19Li



## VET-19Li

